



E-Scooter Instruction Manual

Component



Product Specifications

TECH SPECS

Type Electric Scooter **Battery** 48V 10Ah Lithium Battery

Color Black **Charging time** more than 6 hours

It may vary depending on 80% charging standard and charging environment.

Driving Throttle **Suspension** 2 front air suspension+1 rear spring suspension

Mileage Up to 60-70KM **Equalization device** front light, brake light, side lights

Weight 26KG **Braking** front and rear: disc+electronic brake

Climbing degree up to 25° **Driving speed** 60-80 km/h

Wheel 11 inch wide tires **Maximum loading** 120KG

Motor 900W **Certification No.** No.0P190604.YSVDW45

Product



- ① Instrument panel, trigger throttle
- ② Handle
- ③ Brake lever
- ④ Handle pitch adjustment
- ⑤ Front light
- ⑥ Front spring suspension
- ⑦ Front mud guard
- ⑧ Front tire
- ⑨ Folding lever
- ⑩ Rear mud guard + brake light
- ⑪ Rear tire
- ⑫ LED side lights

Description of the operation



- ① Throttle (driving method: turn the throttle lever)
- ② Instrument
- ③ Folding lever
- ④ Brake lever (braking method: move the brake lever)
- ⑤ Handle grip
- ⑥ Turning light switch
- ⑦ Horn

* Images may vary depending on the date of production.

Cautions when using E-SCOOTER

- To prevent damage to the body at the time of shipment, there is a fixed area, and after receipt, please drive with the correct fixation.
- Check the wearing of health and protective equipment and fixing the folding lever, prohibit use in hazardous places, obtain a license under the Road Traffic Act, and drive in compliance with the Road Traffic Act.
- Before driving, make sure that the tire pressure, braking system, and body part are safe.
- Passengers who board in excess of the boarding garden, are prohibited from arbitrarily disassembling / modifying, and are not responsible for any accidents that are subsequently issued.
- Please use the charger stipulated by us and will not be responsible for any problem caused by the use of other charger not provided by us.
- Never sever the terminal stopper, cover the plug and use.
- Do not use the product before reading the instruction manual and understanding the functionality of this product.
- Do not rent and drive to people who may be manipulating the product.
- Long-term storage requires full charge once every two weeks, and battery life may be reduced if left unchargeable for a long period of time, and we are not responsible.
- Stop using in the event of shock, damage due to other seasons, and visit your nearest service store for inspection.
- This image may vary depending on the date of production.

Exchange and A/S

Motor	Battery	Key	Body and charger
■	■	■	■
1 Year	6 Months	6 Months	3 Months

- Even if the product is not used after opening, it cannot be returned due to used goods (loss of value).

*Consumer Protection Act Section 17.3.2

- Exchanges cannot be returned after the use of goods, and only defective parts will be exchanged.

- Please note that it takes approximately 5-7 days depending on the stock situation at the time of exchange.

- Even within the warranty period, in case of immersion or use negligence (damage), it is excluded from the warranty.

- Consumables are excluded from the warranty and will be repaired for repair.

(Tires, tubes, discs, disc pad, cables and all other parts consumed while using it) *Exchange courier fees are at your expense.